




Stevens Co. Irrigated Cotton Performance Test, 2008

County:	Stevens	Herbicides		
Location:	Lahey Farms (Moscow)	Pre:		
Soil Type:	Richfield	Post:		
Fertilizer (lbs/a)		PGR:		
	N	P2O5	K2O	
	50	35	0	
Dates:		Insecticide:	5 lb Temik In-Furrow	
Planting:	5/27/2008	Harvest Aids:	0	
Harvest:	11/21/2008	Soil Test:	P (ppm) 12	pH 7.2
			K (ppm) 492	O.M.(%) 1.6
Seeding		Previous Crop:	Corn	
Rate:	70000 seed/a			

Precipitation



Temperature



Month	Avg Temp		Precipitation		GDD	
	2008	Normal	2008	Normal	2008	Normal
May	65	64	1.2	3.2	195	138
June	75	74	1.3	3.0	451	431
July	78	80	1.1	2.6	564	607
Aug	75	77	4.4	2.3	459	528
Sept	67	68	0.4	1.9	205	253
Oct	56	58	4.4	1.0	47	16
Total	69	70	12.7	14.0	1920	1972

Stevens Co. Irrigated Cotton Performance Test, 2008

		2008													
Company	Variety	Damage Rating*	Lint Yield, lb/a					Yield % of Test Avg	% Lint	Mic	Length in	Unif. %	Strength g/tex	Color Grade	
			2008	2007	2006	2yr Avg	3yr Avg								
AFD	5064F	1.4	423	1646	1628	1035	1232	87	0.18	0.00	0.00	0.00	0.00	#N/A	####
AFD	5065B2F	1.8	402	1370	1498	886	1090	82	0.16	0.00	0.00	0.00	0.00	#N/A	####
Americot	NG_1551_RF	1.4	512	1363	--	937	--	105	0.17	0.00	0.00	0.00	0.00	#N/A	####
Americot	NG_1556RF	1.6	418	1303	--	861	--	86	0.14	0.00	0.00	0.00	0.00	#N/A	####
BayerCS	BCSX_0704B2F	1.6	334	--	--	--	--	68	0.16	0.00	0.00	0.00	0.00	#N/A	####
BayerCS	BCSX_4366B2F	3.0	481	--	--	--	--	99	0.20	0.00	0.00	0.00	0.00	#N/A	####
DP&L	07W505DF	1.4	376	--	--	--	--	77	0.18	0.00	0.00	0.00	0.00	#N/A	####
DP&L	07X440DF	1.2	486	--	--	--	--	100	0.20	0.00	0.00	0.00	0.00	#N/A	####
DP&L	DP_0924_B2RF	1.8	468	--	--	--	--	96	0.20	0.00	0.00	0.00	0.00	#N/A	####
DP&L	DP_0935_B2RF	1.8	430	--	--	--	--	88	0.20	0.00	0.00	0.00	0.00	#N/A	####
DP&L	DP_104 B2RF	1.8	514	1602	--	1058	--	105	0.18	0.00	0.00	0.00	0.00	#N/A	####
DP&L	DP_121_RF	2.0	445	1786	--	1115	--	91	0.19	0.00	0.00	0.00	0.00	#N/A	####
DP&L	PM_2141_B2RF	1.2	804	1939	1647	1371	1463	165	0.21	0.00	0.00	0.00	0.00	#N/A	####
FiberMax	FM_1704B2F	3.0	404	--	--	--	--	83	0.19	0.00	0.00	0.00	0.00	#N/A	####
Fibermax	FM_9058F	2.8	586	--	1822	--	--	120	0.19	0.00	0.00	0.00	0.00	#N/A	####
Fibermax	FM_9063B2F	2.0	463	--	1468	--	--	95	0.19	0.00	0.00	0.00	0.00	#N/A	####
Fibermax	FM_9180B2F	2.4	513	1578	--	1045	--	105	0.19	0.00	0.00	0.00	0.00	#N/A	####
Nexgen	NG_1572RF	1.0	831	1639	--	1235	--	170	0.21	0.00	0.00	0.00	0.00	#N/A	####
Nexgen	NG_3348B2RF	1.4	702	1525	--	1114	--	144	0.20	0.00	0.00	0.00	0.00	#N/A	####
Nexgen	NG_3410RF	1.4	667	1778	--	1222	--	136	0.22	0.00	0.00	0.00	0.00	#N/A	####
Nexgen	NG_3550RF	1.2	456	1732	1554	1094	1247	93	0.19	0.00	0.00	0.00	0.00	#N/A	####
PhytoGen	PHY_315_WRF	1.8	418	1498	--	958	--	86	0.20	0.00	0.00	0.00	0.00	#N/A	####
PhytoGen	PHY_370_WR	2.4	293	1328	1533	810	1051	60	0.16	0.00	0.00	0.00	0.00	#N/A	####
PhytoGen	PHY_375_WRF	2.8	558	1468	--	1013	--	114	0.22	0.00	0.00	0.00	0.00	#N/A	####
PhytoGen	PHY_425_WRF	1.4	668	2068	--	1368	--	137	0.18	0.00	0.00	0.00	0.00	#N/A	####
PhytoGen	PHY_485_WRF	1.4	561	1856	1598	1208	1338	115	0.21	0.00	0.00	0.00	0.00	#N/A	####
Stoneville	ST_4427B2RF	1.7	448	1536	--	992	--	92	0.21	0.00	0.00	0.00	0.00	#N/A	####
Stoneville	ST_4427B2RF	1.7	448	1536	--	992	--	92	0.21	0.00	0.00	0.00	0.00	#N/A	####
Stoneville	ST_4554B2RF	1.4	360	1838	1661	1099	1286	74	0.20	0.00	0.00	0.00	0.00	#N/A	####
Stoneville	ST_5327B2RF	1.6	418	1931	--	1174	--	86	0.21	0.00	0.00	0.00	0.00	#N/A	####
Stoneville	ST_5327B2RF	1.6	418	1931	--	1174	--	86	0.21	0.00	0.00	0.00	0.00	#N/A	####
	Average	1.8	488	1640	1465	1064	1198	100	0.19	0.00	0.00	0.00	0.00	--	--
	CV (%)	29.7	21	20	11	21	17		16	0	0	0	0	--	--
	LSD(0.05)	0.7	130	397	249	263	258		0.04	0.00	0.00	0.00	0.00	--	--

* Damage Rating was a visual rating taken on September 13, 2007 based on phenoxy herbicide damage.

** Only yields for varieties with damage ratings of 1, 2 or 3 were reported.